

# Installation on Red Hat Based Operating Systems

*Qosium Probe installation package is provided as a tar.gz package and the installation happens in command line interface. The same installation method works on CentOS, Red Hat, and other operating systems that are similar to Red Hat.*

# Table of Contents

- 1. Preparations ..... 3
- 2. Installation ..... 3
- 3. Uninstall ..... 3

## 1. Preparations

First, [sign in](#) to your account and access [your downloads page](#). Then download Qosium products for the target machine. The package is typically named as `QosiumProbe_<version_details>.tar.gz`, where the `<version_details>` part depends on version to another and may contain many identifiers.

## 2. Installation

First, extract the tar.gz package by opening a Terminal:

```
tar -zxvf QosiumProbe_<version_details>.tar.gz
```

Then, go into the extracted directory by typing:

```
cd QosiumProbe
```

Run the install script as root:

```
./install-QosiumProbe.sh
```

The installation procedure asks whether you want to set Qosium Probe as a Systemd service or to be started manually.

The installed Qosium Probe files can be found at `/opt/QosiumProbe/`.

## 3. Uninstall

The uninstall script is located in the same extracted folder where the `install-QosiumProbe.sh` was. To uninstall Qosium Probe, run the following in Terminal with root privileges:

```
uninstall-QosiumProbe.sh
```